Access privileges

Symbol	Privilege	Description
*	Create	Controls the creation of objects.
		Note There are best practices for ACLs to consider when creating an ACL with the Create privilege.
	Post	
99	Read	Controls the privilege to open and view an object.
0	Write	Controls the privilege to check the object in/out of the database and modify it.
×	Delete	Controls the privilege to delete the object from the database.
O ₃₀	Change	Controls the privilege to modify object protections that override the rules-based protection for the object. You must have change privileges to apply object-based protection (object ACLs).
\mathbf{a}	Promote	Controls the privilege to move a task forward in a workflow process.
n	Demote	Controls the privilege to move a task backward in a workflow process.
	Сору	Controls the privilege to copy an object as a new object.
		Note It still allows copy and paste of the object as a reference, with no new object created.
⊵ ~	Change ownership	Controls the privilege required to grant, change, or restrict ownership rights to an object.
		Note By default, the user also requires Write access to the object.
	Publish	Controls the publish privilege to users or groups.
	Subscribe	Controls the privilege to subscribe to an event on a specified workspace object.
	Export	Controls the privilege to export objects from the database.
	Import	Controls the privilege to import objects in to the database.
±	Transfer out	Controls the privilege to transfer ownership of objects when they are exported from the database.
•	Transfer in	Controls the privilege to assign ownership of objects when they are imported in to the database.
	Write Classification ICO	Controls the privilege to write Classification objects (ICOs).
1	Assign to project	Controls the privilege to assign an object to a project. This applies to users who are not designated as privileged project team members.
		Note The validation of the Assign to project privilege in conjunction with privileged project membership is evaluated based on the value of the TC_project_validate_conditions preference.
*	Remove from project	Controls the privilege to remove an object from a project. This applies to users who are not designated as privileged project team members.
		Note The validation of the Assign to project privilege in conjunction with privileged project membership is evaluated based on the value of the TC_project_validate_conditions preference.
₫	Remote checkout	Controls the privilege to remotely check out an object.
	Unmanage	Enables users to circumvent the blocking implemented using the TC_session_clearance preference.
Q	IP Admin	Enables users to add users to manage IP licenses.
*	ITAR Admin	Enables users to add infodba users to manage ITAR licenses.
	CICO	Grants a user the ability to override the checkout of an object by another user. It lets the user with the override privilege check in, transfer, or cancel the checkout of the object.
		Note CICO impacts a user's ability to check out objects when they do not have Write access. However, it does not impact their ability to modify the object once it is checked out.
		Example If Bob checks out an object (item2) and forgets to check it back in before leaving on vacation, the CICO privilege can be granted to the project manager, Uma, so she can check item2 back in and the project can proceed.

Symbol	Privilege	Description
		Bob Item002 Uma Item002
	Translation	Controls the privilege to add translated text using the Localization button.
9	View/Markup	Controls the privilege to view and create markups.
	Batch Print	Controls the privilege to print multiple objects.
L	Digitally Sign	Controls the privilege to digitally sign a document. The Commercial Off-The-Sheff (COTS) Digital Sign Dataset ACL rule grants owning user and owning group digital sign privileges for the dataset object. World users do not have digital sign privileges.
2	Void Digital Signature	Controls the privilege to revoke or cancel an existing PKI digital signature for a business object. World users do not have void digital signature privileges.
٥,	Administer ADA Licenses	Controls the privilege to create, modify, or delete ADA licenses for users in the ADA License application.
%	IP Classifier	Controls the privilege to classify intellectual property (IP) information.
E	ITAR Classifier	Controls the privilege to classify international traffic in arms (ITAR) information.
	Remove Content	Allows a user of Smart Discovery and 4th Generation Design (4GD) to remove content from a collaborative design (CD), for example, to remove an existing design element.
-	Add Content	Allows a user of Smart Discovery and 4th Generation Design (4GD) to add content to a CD, for example, to create a new design element.
e	Effectivity	Allows a user to modify effectivity on released objects.
*	Manage Variability	Allows a user to remove the association between a product structure and a configurator context.
	PDF Control	Allows a user to add a system stamp and watermarks to an existing PDF using workflow.

^{© 2018} Siemens Product Lifecycle Management Software Inc.