









Feeder 24V DC from Power Cabinet



PT 2,5-QUATTRO




Potential Disribution L-




Fault lamp

Temperature monitoring cabinet

MCB monitoring



-U3101



-KF3100

Place of installation: Control cabinet
Module rack: 0
Slot: 3
0
S7-1500
/33.5
/36.8
/37.5

-KF3101

Place of installation: Control cabinet
Module rack: 0
Slot: 0

S7-1500
/33.0

-KF3102

Place of installation: Control cabinet
Module rack: 0
Slot: 1
0

S7-1500
/33.3
/36.3
/36.8
/36.8

-KF3103

Place of installation: Control cabinet
Module rack: 0
Slot: 2

S7-1500
/35.1
/36.0

-KF3104

Place of installation: Control cabinet
Module rack: 0
Slot: 3
Card start address: 0.0

S7-1500
/21.2
/21.3
/33.0
/38.2
/55.0
/55.2
/55.4
/55.5
/55.7
=XU1.G12/2.4

-KF3105

Place of installation: Control cabinet
Module rack: 0
Slot: 6
Card start address: 0.0

S7-1500
/21.0
/33.3
/38.2
/51.0
/51.2
/51.3
/51.5
/53.0
/53.2
/53.3
/53.5

-KF3106

Place of installation: Control cabinet
Module rack: 0
Slot: 8
Card start address: 256
S7-1500
/33.0
=XU1.C11/1.4


-KF3107

Place of installation: Control cabinet
Module rack: 0
Slot: 9
Card start address: 272
S7-1500
/33.3
=.XU1.C11/2.4

-KF3108

Place of installation: Control cabinet
Module rack: 0
Slot: 10
Card start address: 288
S7-1500
/33.6

-U3201



-KF3200

Place of installation: Control cabinet
Module rack: 1
Slot: 3
0
S7-1500
/34.5
/36.8
/37.5

-KF3201

Place of installation: Control cabinet
Module rack: 1
Slot: 0

S7-1500
/34.0

-KF3202

Place of installation: Control cabinet
Module rack: 1
Slot: 1
0

S7-1500
/34.3
/36.5
/36.8
/36.8

-KF3203

Place of installation: Control cabinet
Module rack: 0
Slot: 2

S7-1500
/35.7
/36.1

-KF3204

Place of installation: Control cabinet
Module rack: 1
Slot: 3
Card start address: 0.0

S7-1500
/21.2
/21.4
/34.0
/38.6
/55.1
/55.3
/55.4
/55.6
/55.7
=XU1.G12/2.5

-KF3205

Place of installation: Control cabinet
Module rack: 1
Slot: 6
Card start address: 0.0

S7-1500
/21.0
/34.3
/38.6
/51.1
/51.3
/51.4
/51.5
/53.1
/53.3
/53.4
/53.5

-KF3206


Place of installation: Control cabinet
Module rack: 1
Slot: 8
Card start address: 256
S7-1500
/34.0
=XU1.C11/1.6


-KF3207

Place of installation: Control cabinet
Module rack: 1
Slot: 9
Card start address: 272
S7-1500
/34.3
=.XU1.C11/2.6

-KF3208


Place of installation: Control cabinet
Module rack: 1
Slot: 10
Card start address: 288
S7-1500
/34.6








			Date	21.04.2023			PLC Interface to Power Cabinet		= J11.XU1.KF01	
			Ed.	KPaschos					+ KF01	
			Appr.							
Modification	Date	Name	Original		Replacement of	Replaced by				Page 15 / 30





-KF3701


/33.3
/37.6



-KF3702



/34.3
/37.6






Master
Requirement

Master
Requirement




			Date	14.06.2023			Master / Slave switch		= J11.XU1.KF01	
			Ed.	KPaschos					+ KF01	
			Appr.							
Modification	Date	Name	Original		Replacement of	Replaced by				Page 39
										Page 19 / 30

-RA4001
=.XU1.C11/1.4




Z - Diode Module

-RA4002




Z - Diode Module

-RA4003
=.XU1.C11/2.4




Z - Diode Module

-RA4004




Z - Diode Module

-RA4005




Z - Diode Module

-RA4006



Z - Diode Module







Cooling system ready
1=ready

Common Alarm
1=Alarm

Common Trip
0=trip

Cooling in local
1=local




Cooling system ready
1=ready

Common Alarm
1=Alarm

Common Trip
0=trip

Cooling in local
1=local

			Date	21.04.2023				Interfaces Trip output			= J11.XU1.KF01	
			Ed.	KPaschos							+ KF01	
			Appr.									
Modification	Date	Name	Original		Replacement of	Replaced by						Page 23 / 30



Pump 1 running
1=running

Pump 2 running
1=running

UPS mode active
1=active

spare

